


harmony®

OPTYMA CAR SEAT INSTRUCTION MANUAL



This booster seat complies with ECE regulations for use by children:

- Group II / III
- Mass: 15 – 36 kg

READ THIS MANUAL

Do not install or use this booster seat until you read and understand the instructions in this manual and in your vehicle owner's manual.

FAILURE TO PROPERLY USE THIS BOOSTER SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN A SHARP TURN, SUDDEN STOP OR CRASH.



IF YOU HAVE ANY PROBLEMS, PLEASE DO NOT RETURN THIS PRODUCT TO THE PLACE OF PURCHASE. PLEASE CONTACT CUSTOMER SERVICE AT +44 (0) 1704 549881 OR AT WWW.HARMONYJUVENILE.COM

TABLE OF CONTENTS

Registration information	3
If you need help.....	4
Warnings	4
General warnings	4
Usage warnings	6
Injury warnings	7
Vehicle warnings	8
Certifications	8
Airbag warnings	9
Damage warnings	10
Mass and height limitations	12
Maximum height	12
Parts list	13
Vehicle seating positions	14
Safe vehicle seat belt systems	15
Unsafe vehicle seat belt systems	16
Assembling/disassembling backrest	17
Headrest height adjustment	18
Installation (with Opty-Fix and vehicle seat belt) or vehicle seat belt only	18
Opty-Fix (Opty-Fix models only)	19
Preparing booster seat for use	19
Securing child and booster seat in vehicle	20
Installation - booster seat	22
Disengaging Opty-Fix connectors	24
Using cup holder (when applicable)	24
Aircraft installation	24
Instruction manual storage	24
Removing/installing fabric seat cover	25
Care and maintenance	25
Warranty	26

REGISTRATION INFORMATION

REGISTER YOUR BOOSTER SEAT TODAY! Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall, and to be eligible to receive replacement parts while under warranty.

The model number, serial number and manufacturing date can be found on a label on the underside of the booster seat.

Visit www.harmonyjuvenile.com/register to register your child restraint online, mail-in the registration card or send your name, address, the restraint's model number, manufacturing date and date of purchase to:

Harmony Juvenile Products UK
10 Beach Priory Gdns.
Southport, UK
PR8 1RT

or call: +44 (0) 1704 549881

For recall information, any questions you may have, or to make a change of address or contact information please call Customer Service at +44 (0) 1704 549881 or visit us online at www.harmonyjuvenile.com.

PLEASE DO NOT SEND IN YOUR REGISTRATION CARD IF YOU HAVE REGISTERED YOUR RESTRAINT ONLINE.

IF YOU NEED HELP

Please fill in the information below for future reference. The model number and manufacturing date can be found on a label on the underside of the booster seat.

Model Number: _____

Manufacture Date: _____

Date of Purchase: _____

Our Customer Service Department is standing by to help you with any questions or concerns you may have regarding installation, use, care and/or parts. Please have your product's model number and manufacturing date available when contacting us.

WARNINGS

GENERAL WARNINGS



WARNING!

The safety of your child and the effectiveness of this booster seat depend on:

1. **Selecting a suitable location** for the booster seat in your vehicle.
2. **Properly routing the vehicle seat belt.**
3. **Properly securing both your child and the booster seat in the vehicle** using a seat belt designed to restrain both the booster seat and your child. Many seat belts are **NOT** safe to use with this booster seat. Please review the sections "Safe/Unsafe vehicle seat belt systems" carefully. If in doubt about installing this booster seat, consult the vehicle owner's manual or call the Harmony Customer Service Department.

WARNING!

FAILURE TO PROPERLY READ, FOLLOW AND USE THESE INSTRUCTIONS AND THE BOOSTER SEAT LABELS INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN A SHARP TURN, SUDDEN STOP OR CRASH. Your child's safety depends on the proper installation and use of this booster seat. Even if this booster seat seems easy to install and use, it is **VERY IMPORTANT** to read and understand these instructions and the vehicle owner's manual.

Follow all labels on this booster seat and in these written instructions. **DO NOT INSTALL OR USE THIS BOOSTER SEAT UNTIL YOU READ AND UNDERSTAND THE INSTRUCTIONS IN THIS MANUAL AND IN YOUR VEHICLE OWNER'S MANUAL.**

NO BOOSTER SEAT CAN GUARANTEE PROTECTION WHEN THE VEHICLE IS SERIOUSLY IMPACTED. However, when correctly installed, a booster seat will substantially improve the chances for survival and reduce the risk of serious injury in most crashes.

Carefully follow the instructions in this manual and in your vehicle owner's manual. If there is a discrepancy between the two, the vehicle owner's manual must take precedence with regards to seat belts and/or airbags.

- ! ADULT ASSEMBLY REQUIRED.**
- ! USE THIS BOOSTER SEAT FORWARD-FACING ONLY.**
- ! DO NOT USE THIS BOOSTER SEAT** without properly assembling it.
- ! DO NOT** allow children to play with this child restraint.
- ! NEVER** leave children alone in a vehicle under any circumstance.
- !** It is recommended that children are not left in their child restraint system unattended.
- !** Set a good example by **ALWAYS** wearing your seat

belt. Make it a firm rule that the vehicle does not move until everyone is buckled up. **MAKE NO EXCEPTIONS.**

- ! Harmony Juvenile Products advises against loaning or passing along a booster seat. **DO NOT USE A SECOND-HAND BOOSTER SEAT** or a booster seat whose history you do not know.
- ! When disposing a booster seat system, ensure to dispose of the unit in a way others cannot reuse it (e.g. use a dark trash bag, do not sell to a thrift shop or in a garage sale, etc.).
- ! Store the booster seat in a safe place when not in use. **DO NOT** place heavy objects on top of the booster seat while in storage.
- ! **DO NOT** remove any stickers or warnings as they contain important information.

USAGE WARNINGS

WARNING!

! **ALWAYS** ASSIST YOUR CHILD WHEN GETTING INTO AND OUT OF THE BOOSTER SEAT.

! **NEVER** LET YOUR CHILD LEAN ON THE ARMREST WHEN GETTING INTO OR EXITING THE BOOSTER SEAT TO PREVENT THE SEAT FROM TIPPING.

! **ENSURE** THAT THE BOOSTER SEAT IS LEVEL, STABLE AND DOES NOT ROCK SIDE-TO-SIDE. IF THE BOOSTER SEAT IS NOT STABLE, TRY ANOTHER SEATING LOCATION.

! **DO NOT ADD ANYTHING BEHIND OR UNDER THE BOOSTER SEAT.**



According to accident statistics, **CHILDREN ARE SAFER WHEN PROPERLY RESTRAINED IN THE REAR SEATING POSITIONS THAN IN THE FRONT SEATING POSITION.**

Please study the section “Vehicle seating positions”.

- ! **DO NOT** use any load bearing contact points other than those described in the instructions and marked in the child restraint.
- ! **DO NOT** allow others to install or use this booster seat unless they read and understand all the instructions and labels.
- ! **DO NOT GIVE THIS BOOSTER SEAT** to someone else without also giving them this instruction manual. Additional instruction manuals can be downloaded directly from www.harmonyjuvenile.com.
- ! To ensure proper booster seat use, keep and store this instruction manual and refer to it when necessary.
- ! **DO NOT LEAVE A BOOSTER SEAT UNSECURED IN YOUR VEHICLE.** In a collision, sharp turn or sudden stop, an unsecured booster seat can injure other occupants. Remove it or make sure that it is securely attached with the vehicle seat belt, even when not in use.

INJURY WARNINGS

- ! **INJURIES MAY OCCUR EVEN IF YOU ARE NOT IN A CRASH** if the booster seat is not properly installed or if your child is not properly secured in the booster seat.
- ! The rigid items and plastic parts of a child restraint shall be so located and installed that they are not liable, during everyday use of the vehicle, to become trapped by a movable seat or in a door of the vehicle.
- ! **DO NOT** leave folding vehicle seats unlatched. In the event of a sharp turn, sudden stop or crash, a loose seat back could prevent the booster seat from protecting the child as well as it should.
- ! It is recommended that any luggage or other objects liable to cause injuries in the event of a collision shall be properly secured. In the event of a sharp turn,

sudden stop or crash, loose objects will keep moving, potentially causing serious injuries.

- ! The child restraint shall not be used without the cover. It **MUST** always be used with the fabric cover provided by the manufacturer.
- ! The seat cover should not be replaced with any other than the one recommended by the manufacturer, because the cover constitutes an integral part of the restraint performance.
- ! **PARTS OF THE BOOSTER SEAT COULD BECOME HOT ENOUGH TO BURN THE CHILD IF LEFT IN THE SUN.** Contact with these parts can injure your child. **ALWAYS** touch the surface of any metal or plastic parts before putting your child in the booster seat. Cover the booster seat with a towel or blanket when the vehicle is parked in direct sunlight. **KEEP AWAY FROM SUNLIGHT, OTHERWISE IT MAY BE TOO HOT FOR THE CHILD'S SKIN.**

VEHICLE WARNINGS

- ! **DO NOT** use this booster seat with 2-point vehicle belts (lap-belt only or shoulder-belt only). Your child would be seriously injured in the event of a crash.
- ! **DO NOT** use this booster seat with unsafe vehicle seat belts listed in section “Unsafe vehicle seat belt systems” of this manual.
- ! **DO NOT** use this booster seat if it can't be properly installed. It is possible that your vehicle has no suitable seating position for this booster seat due to seat belt type, airbag system and/or lack of location of a tether strap anchor. Read and follow these instructions, and your vehicle owner's manual carefully.

CERTIFICATIONS

This is a “Universal” child restraint when installed using the 3-point vehicle seat belt only. It is approved to the

requirements of the European Standard for Child Safety Seat Equipment under Regulation No. 44, 04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.

A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook that the vehicle is capable of accepting a “Universal” child restraint for this age group.

This child restraint has been classified as “Universal” under more stringent conditions than those which applied to earlier designs which do not carry this notice.

This child restraint is classified for “Semi-Universal” use when installed using the Opty-Fix connectors in conjunction with the 3-point vehicle seat belt (certain models only) and is suitable for fixing into the seat positions of the cars listed on www.harmonyjuvenile.com/uk/resources.

If in doubt, consult either the child restraint manufacturer or the retailer.

! Only suitable for use in the listed vehicles fitted with 3-point with retractor safety-belts, approved to ECE Regulation No. 16 or other equivalent standards.

This restraint is **NOT CERTIFIED** for aircraft use.

This booster seat must **NOT** be used in homes, boats, buses, motorcycles, motor homes, or any other vehicles that have non-forward-facing seats, missing seat belts, or whose seat belts do not meet the requirements of this booster seat.

AIRBAG WARNINGS

! **NEVER PLACE THIS BOOSTER SEAT IN A VEHICLE SEATING LOCATION THAT HAS AN ACTIVE FRONTAL AIRBAG.** An inflating airbag may cause serious injury or death. Refer to your vehicle owner’s manual for information about airbags and booster seat installation.

This booster seat may be used in a rear seating position

equipped with side impact airbags providing they are:

- Roof mounted;
- “Curtain” type deployment;
- Will **NOT** interfere with, impact or in any way reposition the booster seat when inflated.

! If a vehicle’s front seat location must be used, **ALWAYS** disable the airbag. Failure to disable the airbag system can result in serious injury or death. Follow the vehicle owner’s manual for instructions on disabling the front airbag system.

Please refer to your vehicle owner’s manual for airbag type, and for appropriate use with booster seats.

DAMAGE WARNINGS

! It is recommended that the device should be changed when it has been subject to violent stresses in an accident.

! **DO NOT USE A BOOSTER SEAT THAT HAS BEEN IN AN ACCIDENT OF ANY KIND.** An accident can cause damage to the booster seat that you cannot see.

! **DO NOT** use this booster seat if it is damaged in any way or has missing parts.

! **NEVER** use a cut, frayed or damaged vehicle seat belt or harness.

! **DO NOT** tamper with or modify the booster seat, for any reason. Any unauthorised or additions to the device without the approval of the Type Approval Authority can cause serious injury or death in a sharp turn, sudden stop, or crash.

! **DO NOT** use anything to raise the booster seat off the vehicle seat. Untested modifications, such as adding extra padding, could affect the safety of the booster seat and result in serious injury or death in a crash.

! **DO NOT, EXCEPT AS DESCRIBED IN THESE INSTRUCTIONS, MODIFY YOUR BOOSTER SEAT,**

DISASSEMBLE ANY PART OR CHANGE THE WAY THE VEHICLE SEAT BELTS ARE USED. This includes any accessories or parts by other manufacturers as non-tested accessories can affect the safety of the booster seat.

MASS AND HEIGHT LIMITATIONS


Harmony Juvenile Products recommends that you **ALWAYS** confirm country laws with local authorities. Laws vary from country to country regarding minimum/maximum booster seat requirements for age, mass and height.

WARNING!

DO NOT USE THIS BOOSTER SEAT IF YOUR CHILD DOES NOT MEET ALL THE REQUIREMENTS BELOW.

To use this booster seat, your child **MUST MEET ALL** of the following requirements:

- **GROUP II / III Forward-facing with backrest:**
between 15 - 36 kg
(33 - 79 lbs.)



- Shoulder belt **MUST** lie across the **MIDDLE** of the child's shoulder and chest, and lap portion **MUST** be positioned low across child's hips **1**.

! WARNING: Verify your child's mass and height frequently. **DO NOT** guess.

MAXIMUM HEIGHT



WARNING!

Child's ears **MUST BE BELOW** top of booster seat headrest at its maximum height. If tops of ears are above the top of the headrest at its maximum height, the child is too large for the booster seat.



PARTS LIST

- A. Headrest fabric cover (pre-installed)
- B. Backrest fabric cover (pre-installed)
- C. Base fabric cover (pre-installed)
- D. Shoulder belt positioning guides
- E. Cup holder (when applicable)
- F. Headrest height adjustment button
- G. Opty-Fix connectors (Opty-Fix model only)



TO PURCHASE REPLACEMENT PARTS:

In the United Kingdom, please contact us at
www.harmonyjuvenile.com
or by calling +44 (0) 1704 549881.

VEHICLE SEATING POSITIONS

WARNING!

FAILURE TO PROPERLY SECURE YOUR CHILD AND THE BOOSTER SEAT IN YOUR VEHICLE INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN THE EVENT OF A SHARP TURN, SUDDEN STOP OR CRASH.

WARNING!

IMPROPER PLACEMENT OF THE BOOSTER SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH. Some seating positions in your vehicle may **NOT** be safe for this booster seat. Some vehicles have **NO** seating positions which are compatible with this booster seat due to seating surface, seat belt type and/or airbag system. Read and follow these instructions, and your vehicle owner's manual carefully.

WARNING!

Children aged 13 and under **MUST** ride in the rear seats, away from front airbags. The only exception is if the airbags are turned off. When using a booster seat in a vehicle with active airbags, refer to the vehicle owner's manual for additional installation instructions and precautions. For rear seat installation, adjust the front seat forward enough to ensure the child's feet do not hit the backrest of the front seat.



WARNING!

Only use this booster seat in forward-facing vehicle seats. Side-facing or rear-facing seats in vans, station wagons or trucks **CANNOT** be used.


THE VEHICLE SEAT MUST FACE FORWARD. DO NOT use the booster seat with the following vehicle seats:

- Seats which face sides of vehicle.
- Seats which face rear of vehicle.
- Rear seats of small extended cab pickup trucks.



- The front of the booster seat **MUST NOT** hang over the edge of the vehicle seat by more than 5 cm (2 inches).

Refer to the vehicle owner's manual for booster seat installation instructions for your specific vehicle.



! DO NOT use this booster seat in a seating position where the vehicle seat belt or seat belt buckle is not easily accessible with the booster seat secured in place.

SAFE VEHICLE SEAT BELT SYSTEMS

WARNING!

SEAT BELTS DIFFER FROM VEHICLE TO VEHICLE AND FROM SEATING LOCATION TO SEATING LOCATION WITHIN THE SAME VEHICLE. NOT ALL VEHICLE SEAT BELTS CAN BE USED WITH THIS BOOSTER SEAT.


You must determine if your vehicle's seat belts are compatible for use with this booster seat. If you are unsure, consult your vehicle owner's manual or call Harmony Juvenile Products.

! This booster seat is suitable for use in the listed vehicles fitted with 3-point with retractor safety-belts (lap-and-shoulder), approved to ECE Regulation No. 16 or other equivalent standards.


Review your vehicle owner's manual for vehicle seat belt use with booster seats.

UNSAFE VEHICLE SEAT BELT SYSTEMS

This booster seat can be installed properly using **MOST** vehicle 3-point lap-and-shoulder seat belts. However, some vehicle seat belts are not safe to use as their anchoring points for the lap belt may not allow for a secure installation. **NEVER** use any unsafe vehicle seat belt systems.




DO NOT USE ANY OF THE FOLLOWING VEHICLE SEAT BELT SYSTEMS WITH THIS BOOSTER SEAT:



! NEVER use a lap-only belt.

! NEVER use a seat belt that does not lock in the event of a sharp turn, sudden stop, or crash.


! NEVER use a cut, frayed or damaged vehicle seat belt.



! NEVER use motor driven automatic seat belts.

! NEVER use a vehicle seat belt system where the lap and shoulder belts have independent retractors.


! NEVER use a vehicle seat belt system with top or bottom anchorage points attached to the door in any way.



! NEVER use lap belts whose anchor points are forward of the seat crease.

ASSEMBLING/DISASSEMBLING BACKREST


1. Insert 'U-Shape' plastic hooks on bottom of backrest into the corresponding bars on seat base ①.



2. Apply a small amount of force to gently lock the hooks onto the base ②.



3. Slowly swing the backrest upwards, whereby locking the backrest into place ③.




4. To remove backrest, repeat previous steps in reverse order.

HEADREST HEIGHT ADJUSTMENT

Your booster seat has seven (7) height adjustments.

- Use one hand to press the headrest adjustment button found on the back of the seat **1** while simultaneously pulling the headrest up or down to the desired height with the other hand **2**.

Adjust headrest height so that the bottom of the headrest is **EVEN** with the top of the child's shoulders **3**.



INSTALLATION (WITH OPTY-FIX AND VEHICLE SEAT BELT) OR VEHICLE SEAT BELT ONLY

Installation with Opty-Fix and vehicle seat belt (Semi-Universal) or vehicle seat belt only (Universal).

Opty-Fix is used for installing the booster seat **IN CONJUNCTION WITH** the use of the vehicle 3-point seat belt.

! Opty-Fix connectors can **ONLY** be used if your vehicle has the Isofix anchors installed and designated Isofix seating positions. Check your vehicle owner's manual to see which seating positions may be suitable with Isofix.


If an Isofix installation is not an option, then the Opty-Fix option can **NOT** be used in your vehicle. Use the belt-only installation method.

OPTY-FIX (OPTY-FIX MODELS ONLY)

If your vehicle is equipped with Isofix anchors, the vehicle Isofix anchorage points may be visible at the seat crease. If not visible, they may be marked with this symbol.



Check your vehicle owner's manual for your vehicle's exact Isofix locations, anchor identifications and usage requirements for use with a booster seat.



! WARNING: CONSULT YOUR VEHICLE OWNER'S MANUAL FOR THE EXACT PLACEMENT OF THESE ELEMENTS IN YOUR VEHICLE, AND FOR MAXIMUM ISOFIX WEIGHT ALLOWANCES PRIOR TO INSTALLATION AS SOME MANUFACTURERS HAVE LOWER MAXIMUM WEIGHT ALLOWANCES FOR ISOFIX USAGE.

PREPARING BOOSTER SEAT FOR USE

WARNING!

INCORRECT USE OF THE VEHICLE'S 3-POINT LAP-AND-SHOULDER SEAT BELT SYSTEM IS THE MOST COMMON MISTAKE PEOPLE MAKE. IT IS VERY IMPORTANT TO READ, UNDERSTAND AND FOLLOW ALL INSTRUCTIONS AND WARNINGS. DO NOT MISTAKE COMFORT FOR SAFETY. THE VEHICLE'S 3-POINT LAP-AND-SHOULDER SEAT BELT MUST BE SNUGLY ADJUSTED AT ALL TIMES.

! ENSURE the vehicle shoulder belt's position is correct for your child's size. **VERIFY OFTEN.**




! **WARNING: DO NOT** use this booster seat if the midpoint of your child's head is above the top of the booster seat headrest at its maximum height.

SECURING CHILD AND BOOSTER SEAT IN VEHICLE

WARNING!

FAILURE TO PROPERLY SECURE YOUR CHILD IN THE BOOSTER SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN THE EVENT OF A SHARP TURN, SUDDEN STOP OR CRASH. In a crash, the booster seat provides **NO** protection for your child unless the vehicle 3-point lap-and-shoulder belt is properly secured. Follow these instructions carefully to properly secure your child.

! **WARNING:** You **MUST** use the vehicle 3-point lap-and-shoulder belt system when restraining the child in the booster seat **1**.



! **WARNING:** Vehicle belts **MUST** be tight, adjusted to the child's body, and should not be twisted **1**.

! **NEVER** use a vehicle lap-only belt to secure child in booster seat **2**.



! **NEVER USE A LOOSE SHOULDER BELT.**

! **NEVER** position the shoulder belt under the child's arm **3** or place the shoulder belt behind the child's back **4**.

! Lap portion of lap-and-shoulder belt **MUST** be low and snug across the hips, with the pelvis firmly engaged, just touching the child's thighs. The lap portion **MUST NOT** be lying across the child's stomach as this can cause major injuries to the child in case of a sharp turn, sudden stop or crash.



! **DO NOT** allow the child to slouch, slide down in the seat, or create slack in the belt system **5**. If child will not keep vehicle belt properly positioned, **DO NOT** use this booster seat.



! **DO NOT** position vehicle belt over top of the armrests **6**.

! The vehicle seat headrest should not create a gap between vehicle seat and booster seat **7**. If so, remove the vehicle headrest.



! **DO NOT** use any load bearing contact points other than those described in the instructions and marked in the child restraint.



IF IN DOUBT ABOUT THESE POINTS OR ANY QUESTIONS RELATED TO INSTALLATION, PLEASE CONTACT HARMONY JUVENILE PRODUCTS.




WARNING!

DUE TO VARYING ANGLES OF VEHICLE SEAT BELT RETRACTORS, EXCESS SLACK IN THE VEHICLE BELT SYSTEM MIGHT NOT BE REMOVED AUTOMATICALLY. Once the lap and shoulder portions of the seat belt are properly positioned and the buckle is attached, FEED ANY REMAINING SLACK OF THE SEAT BELT MANUALLY BACK INTO THE RETRACTOR TO TIGHTEN THE WHOLE SYSTEM.

- 1. OPTY-FIX MODELS:** Rotate the Isofix connectors from underneath the base of the seat 180 degrees as shown **1**.
- Place the booster seat flush against a forward-facing vehicle seat, centered between the Isofix anchors. The vehicle seat **MUST** be equipped with a 3-point lap-and-shoulder belt. Booster must be level, stable and not rock side-to-side (see "Vehicle seating positions").
- 3. OPTY-FIX MODELS:** Gently guide the Opty-Fix connectors against the anchors, engaging the Isofix connectors. An audible "click" will be heard when engaged and the indicator window will turn **GREEN** **2**.
- Place child in the booster seat with child's back flat against the back of the booster seat.




5. Thread shoulder belt portion of the 3-point lap-and-shoulder belt system through the shoulder belt guide



3 and ensure that shoulder belt lies across child's shoulder and chest, and **NOT** across child's face or neck.

6. Thread both sides of the lap belt and the lower end of the shoulder belt of the 3-point lap-and-shoulder belt system **UNDER BOTH** booster seat armrests 4 and ensure that the belt is snug across child's hips. It is important to ensure that any lap strap is worn low down, so that the pelvis is firmly engaged, just touching their thighs and is **NOT** across their stomach.



7. Buckle the vehicle seat belt into place and ensure it is secure by gently pulling on it.

! BOTH SIDES OF THE LAP BELT AND THE LOWER END OF THE SHOULDER BELT MUST PASS UNDER BOTH ARMRESTS.

! Any straps holding the restraint to the vehicle should be tight, any straps restraining the child should be adjusted to the child's body, and all straps should not be twisted.

! Teach your child that seat belts are not toys and should **NEVER** be played with, regardless of whether the car is in motion or not.

! **ALWAYS** be aware of what your children are doing in the back seat.

DISENGAGING OPTY-FIX CONNECTORS

To release the Opty-Fix connectors:
Retract the red safety button on each
side of the Opty-Fix connectors.





USING CUP HOLDER (WHEN APPLICABLE)

TO INSTALL:

1. Slide cup holder into place over cup holder clip **1** **2** on either side until locked in place.

TO REMOVE:

1. Pull cup holder up and outward.




AIRCRAFT INSTALLATION

This booster seat is **NOT CERTIFIED** for aircraft use. Aircraft seats are not equipped with 3-point lap-and-shoulder belts which are required for use with this booster seat.

INSTRUCTION MANUAL STORAGE

We recommend that you store your instruction manual under the fabric on the side of the booster seat.



REMOVING/INSTALLING FABRIC SEAT COVER

Headrest:


Gently pull the elastic sides up and over the headrest ①.

Backrest:

- Unhook the elastic loops found at the top (x2) ② and bottom (x2) ③ of the backrest. Gently slide the pad downwards and remove.

Base:

Gently pull the elastic sides of seat pad up and over the cup holder bracket and remove ④.



TO INSTALL:

To reinstall fabric pads, repeat previous steps in reverse order.

CARE AND MAINTENANCE

CLEANING YOUR SEAT PAD:

- **MACHINE WASH SEPARATELY** using cold water - delicate cycle.
- **DO NOT BLEACH.**
- **DRIP DRY** to prevent cover from shrinking.

CLEANING THE PLASTIC SHELL:

- **SPONGE CLEAN** using warm water and mild soap.
- **TOWEL DRY.**
- **DO NOT** use solvents, abrasive cleaners, or disassemble booster seat in any way, except as instructed.

CLEANING METAL AND PLASTIC PARTS:

- Use mild soap and cool water on a damp cloth.

WARRANTY

This booster seat was manufactured by Harmony® Juvenile Products (HJP). HJP warrants this product to the original retail purchaser as follows:

LIMITED 2-YEAR WARRANTY

The following warranty conditions only apply to the country in which this product was first sold through retail channels to a consumer.

This booster seat is warranted against defective materials and workmanship for 2 years from the date of original purchase. *An original receipt is required to validate your warranty.* HJP will, at its option, provide replacement parts for this product or replace this product. HJP reserves the right to discontinue or change fabrics, parts, models or products, or to make substitutions.

To make a claim under this warranty, you must contact HJP Customer Service at www.harmonyjuvenile.com, or call +44 (0) 1704 549881, or write to 10 Beach Priory Gdns., Southport, UK, PR8 1RT.

Proof of purchase is required and shipping charges are the responsibility of the consumer.

WARRANTY LIMITATIONS

This warranty does not include:

1. Damages which arise from negligence, misuse, or use not in accordance with this instruction manual.
2. Damage and wear arising from excessive stress.
3. Replacement of fabric as a result of natural wear or fading of the fabric as a result of exposure to the sun or UV radiation.

The use of non-Harmony branded covers, inserts, toys, accessories or tightening devices is not approved by HJP. Their use could cause this booster seat to fail federal safety standards or perform worse in a crash. Their use automatically voids the HJP warranty.

LIMITATIONS OF DAMAGES

The warranty and remedies as set forth above are exclusive and in lieu of all others, oral or written, expressed or implied. In no event will HJP or the retailer selling this product be liable to you for any damages, including incidental or consequential damages, or loss of use arising out of the use or inability to use this product.

PLEASE REGISTER THIS BOOSTER SEAT WITHIN 30 DAYS OF PURCHASE TO EXPEDITE WARRANTY CLAIMS AND TO VERIFY ORIGINAL DATE OF PURCHASE.